

2015 LEAD AND COPPER RULE MONITORING REPORT Monitoring Period (July, 2015 to December, 2015)

System's Name:	Village of Tarrytown Shaft #10 P.S. Dept. of Public Works	Type: <u>x</u> CWS	NTNCWS
Address:		50, X 10,	00,000 001 to 100,000 001 to 50,000 01 to 10,000 1 to 3,300
JAN 11 0018		10° < 1	1 to 500
Telephone #: Fax #	914-631-0456 914-631-2258		
Federal ID#:	00003461		
Contact Person:	Steve Cowles, Chief Ope	rator, Type IB	
THE RESULTS OF ATTACHED TO TI	LEAD AND COPPER TAP HIS DOCUMENT	WATER SAMPLES	MUST BE
# of Samples require	ed: <u>60</u> # of	Samples submitted:	60
90 th Percentile Leve	l: Lead <u>10.7</u> /l Cop	pper <u>493</u> μg/l	
TARGETING CRIT	ERIA		
and lead solo	ructures with copper pipes ler installed after 1982 or lea ervice lines (Tier 1)	d pipes	<u>47</u>
with lead sol and/or lead s	uctures with copper pipes der installed after 1982 or le ervice lines (Tier 1) able if multi-family structure	* *	
	the structures served by the		N/A
	ining copper pipes der installed after 1982 or le ervice lines (Tier 2)	ad pipes	
	n copper pipes and lead sold ore 1983 (Tier 3)	er	12_

Explanation of Tier 2 and/or Tier 3 sites are (attach additional pages if necessary Tier #2 and Tier #3 sites were used in ore	r)	60 ample sites
LEAD SERVICES LINE SITES		
# of samples required to be drawn from lead	d service line sites	N/A
# of samples actually drawn from lead serv	ice line sites	_N/A_
Difference (explain differences other than z Method used to identify lead service line si (attach additional pages if necessary	tes	
All recourses were found through water	applications records from	the village
THE RESULTS OF WATER QUALITY I	PARAMETER (WQP) SAN THIS DOCUMENT	MPLES MUST BE
# of samples required to be collected		<u>N/A</u> _
# of WQP entry point samples required to b	e collected	10
# of WQP tap samples actually collected ar	nd submitted	N/A
# of WQP entry point samples actually coll Signature # Of WQP entry point samples actually coll Signature	ected and submitted Chief Operator Type 1B Title	10 //2//6 Date

\$... &

CERTIFICATION OF COLLECTION METHODS

I certify that:

- Each first draw tap sample for lead and copper is one liter in volume and has stood motionless in the plumbing system of each sampling site for at least six hours.
- Each first draw sample collected from a single-family residence has been collected from the cold water kitchen tap or bathroom sink tap.
- Each first draw sample collected from a non-residential building has been collected at an interior tap from which water is typically drawn for consumption.
- Each first draw sample collected during an annual or tri-annual monitoring period has been collected in the months of September, October, November or December.
- Each resident who volunteered to collect tap water samples from his/her home has been properly instructed by (insert water system's name) <u>Tarrytown Water</u> <u>Department</u> in the proper methods for collecting lead and copper samples. I do not challenge the accuracy of these sampling results. Enclosed is a copy of the material distributed to residents explaining the proper collection methods, and a list of the results. Sampling was performed by the owners of house/buildings used in the reports.

Signature

Stephen G. Cowles

Name

WTP Chief Operator 1B

Title

Date

CHANGE OF SAMPLING SITES From Jun-2015 to Dec-2015 Monitoring Period

Distance between sites (approximate	ly):1 Mile		
Targeting Criteria: New:	Old:	X	and you apply for the land of
Reason for change (attach additional	pages if necessary):		
X Old addresses would not conti		er to compl	lete the 60 sites
Signature: Supl- el. C	relammen		
Stephen G. Cowles	WTP Chief Operator	1B_	1/7/16
Name	Title		Date

Exemption 6

First Draw S		Sample Percenti	Sample Percentile Results 2015		(Jul-Dec) -Tarrytown- NY		
Sample # Location		T		Copper		Copper (µg/L)	
	Sample Date	Lead (µg/L)	Sample #	Location	Sample Date		
1		12/22/2015	<1.00	1		9/30/2015	<10.0
2		12/15/2015	<1.00	2		12/15/2015	13.7
3		12/17/2015	<1.00	3		9/25/2015	18.5
4		9/30/2015	<1.00	4		9/25/2015	20.6
5		9/25/2015	<1.00	5		12/21/2015	24.1
6		11/25/2015	<1.00	6		12/17/2015	39.5
7		12/7/2015	<1.00	7		11/25/2015	41.5
8		9/25/2015	<1.00	8		12/7/2015	41.6
9		9/25/2015	<1.00	9		9/25/2015	52.7
10		12/8/2015	<1.00	10		9/24/2015	63.6
11		9/25/2015	<1.00	11		9/25/2015	75.6
12		9/25/2015	<1.00	12		9/25/2015	92.6
14		9/29/2015	<1.00	13		9/25/2015	97
15		9/25/2015 9/27/2015	<1.00	14		9/28/2015	98.9
16		9/25/2015	<1.00 <1.00	16		9/24/2015	99.4
17		9/25/2015	<1.00	17		12/17/2015	121
18		9/25/2015	<1.00	18		9/25/2015	150
19		9/25/2015	<1.00	19		9/25/2015	166
20		9/25/2015	<1.00	20		9/25/2015	179
21		9/25/2015	<1.00	21		9/26/2015	210
22		9/25/2015	<1.00	22		9/27/2015	210
23		9/25/2015	<1.00	23		9/29/2015	210
24		9/25/2015	<1.00	24		9/29/2015	226
25		9/25/2015	1.06	25		9/25/2015	227
26		9/25/2015	1.07	26		9/25/2015	231
27		9/25/2015	1.08	27		9/26/2015	237
28		9/25/2015	1.13	28		9/25/2015	244
29		9/26/2015	1.14	29		9/25/2015	254
30		9/25/2015	1.22	30		9/25/2015	261
31		9/25/2015	1.28	31		9/25/2015	270
32		9/25/2015	1.28	32		9/25/2015	270
33		9/26/2015	1.31	33		9/25/2015	274
34		9/25/2015	1.32	34		9/27/2015	302
35		9/25/2015	1.36	35		9/25/2015	322
36		9/25/2015	1.36	36		9/25/2015	323
37		9/25/2015	1.37	37		9/25/2015	349
38		9/25/2015	1.41	38		9/25/2015	363
39		9/25/2015	1.68	39		9/25/2015	366
40		12/17/2015	1.74	40		9/25/2015	367
41		10/7/2015	1.74	41		9/25/2015	372
43		9/28/2015 9/25/2015	1.81	43		9/26/2015	385 386
44		9/25/2015	2.37	44		9/25/2015	388
45		9/25/2015	2.81	45		9/25/2015	391
46		9/25/2015	2.87	46		9/25/2015	394
47		9/25/2015	3.03	47		9/25/2015	406
48		9/25/2015	3.11	48		9/25/2015	413
49		9/26/2015	3.73	49		9/25/2015	425
50		9/25/2015	4.08	50		9/25/2015	449
51		10/2/2015	4.13	51		9/25/2015	469
52		9/25/2015	7.99	52		9/25/2015	472
53		9/24/2015	8.12	53		9/25/2015	486
54		9/25/2015	10.7	54		9/25/2015	493
55		9/25/2015	14.7	55		9/25/2015	497
56		9/27/2015	17.5	56		9/25/2015	500
57		9/29/2015	18.8	57		9/25/2015	544
58		9/24/2015	20.7	58		10/2/2015	599
59		9/25/2015	51	59		9/25/2015	728
60		9/25/2015	73.4	60		10/7/2015	791

90th Percentile

Regulatory Action Limit - Lead 15 μg/L
90th Percentile 10.7 μg/L

Regulatory Action Limits - Copper 1,300 μg/L
90th Percentile 493μg/L